





















E E コアType














TYPE	DIMENSIONS (mm)	FEATURES	APPLICATION
EE1011		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1312		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1614		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1614H		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1916		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1927		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1916H		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE1927H		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER

TYPE	DIMENSIONS (mm)			FEATURES	APPLICATION
EE2219				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EE2520				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE2820				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE3030				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE4035				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE4035H				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE4242H				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EE5555H				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER























E I コア Type













TYPE	DIMENSIONS (mm)	FEATURES	APPLICATION
EI12.5		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI1614		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI1916		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI2520		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI2820		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI3328		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EI4035H		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

E E R コアType






















TYPE	DIMENSIONS (mm)		FEATURES	APPLICATION
ER9.5			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER11.5			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER12.8			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER14.5			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER2828			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EER2835			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER3542			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

E E R コア Type
















TYPE	DIMENSIONS (mm)			FEATURES	APPLICATION
ER2828H 				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER2835H 				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER4042 				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER4042H 				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER4245 				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ER4245H 				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER







P Q コア Type				
TYPE	DIMENSIONS (mm)		FEATURES	APPLICATION
PQ2020 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
PQ2620 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
PQ2625 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
PQ3220 			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
PQ3230 			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
PQ3535 			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
PQ4040 			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
PQ5050 			* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

E F コアType














TYPE	DIMENSIONS (mm)	FEATURES	APPLICATION
EF1616H	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EF1616H	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EF2020H	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EF2020	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EF2525H	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EF2525	   	* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

E F D コアType
















TYPE	DIMENSIONS (mm)			FEATURES	APPLICATION
EFD6.5				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EFD10				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EFD1515				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EFD2020				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
CEFD1515				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
CEFD2020				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
EFD2525				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EFD3030				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

E P C コアType				
TYPE	DIMENSIONS (mm)		FEATURES	APPLICATION
EPC1717 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EPC1919 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
EPC3030 			* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

R M コアType

TYPE	DIMENSIONS (mm)			FEATURES	APPLICATION
RM4				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
RM5				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
RM6				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
RM8				* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
RM10				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
RM14				* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

インバータトランス

TYPE	DIMENSIONS (mm)	FEATURES	APPLICATION
IT-CEE1927H 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CEE1624H 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CEFD2020 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-EE1916H 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CUI1520 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CI1720 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CUI9824 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit
IT-CUI1205 		* LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY	* LCD * FAX * scanner unit